



[Journals \(/about/journals\)](/about/journals)

[Topics \(/topics\)](/topics)

[Information \(/authors\)](/authors)

[Author Services \(/](#)

[toggle desktop layout cookie](#) 🔍 ☰

[authors/english\)](#)

[Initiatives \(/about/initiatives\)](/about/initiatives)

[About \(/about\)](/about)

[Sign In / Sign Up \(/user/login\)](/user/login)

[Submit \(https://susy.mdpi.com/user/manuscripts/upload?journal=axioms\)](https://susy.mdpi.com/user/manuscripts/upload?journal=axioms)

**Search for Articles:**

Title / Keyword

Author / Affiliation / Email

Axioms

All Article Types

**Search**

**Advanced Search**

[Journals \(/about/journals\)](/about/journals) / [Axioms \(/journal/axioms\)](/journal/axioms) / [Volume 10 \(/2075-1680/10\)](/2075-1680/10) / [Issue 4 \(/2075-1680/10/4\)](/2075-1680/10/4) / [10.3390/axioms10040255](https://doi.org/10.3390/axioms10040255) /



*axioms*

\*\*  
..(

[journal/axioms\)](/journal/axioms)

[Submit to this Journal \(https://susy.mdpi.com/user/manuscripts/upload?form%5Bjournal\\_id%5D%3D47\)](https://susy.mdpi.com/user/manuscripts/upload?form%5Bjournal_id%5D%3D47)

[Review for this Journal \(https://susy.mdpi.com/volunteer/journals/review\)](https://susy.mdpi.com/volunteer/journals/review)



Loading web-font Gyre-Pagella/DoubleStruck/Regular



Propose a Special Issue (/journalproposalspecialissue/axioms)

(/toggle\_desktop\_layout\_cookie) Q ≡

▶ **Article Menu**

# Article Menu

Academic Editor



**Stevan Pilipović**

Subscribe SciFeed (/2075-1680/10/4/255/scifeed\_display).

Recommended Articles

Related Info Link

More by Authors Links

**Article Views** 1471

**Citations** 3



Loading web-font Gyre-Pagella/DoubleStruck/Regular

**Table of Contents**

- [Abstract](#)
- [Introduction](#)
- [Preliminaries](#)
- [Fractional Inequalities for Chebyshev Functional](#)
- [Fractional Inequalities for Extended Chebyshev Fractional](#)
- [Concluding Remarks](#)
- [Author Contributions](#)
- [Funding](#)
- [Institutional Review Board Statement](#)
- [Informed Consent Statement](#)
- [Data Availability Statement](#)
- [Acknowledgments](#)
- [Conflicts of Interest](#)
- [References](#)

(/toggle\_desktop\_layout\_cookie)

⏪

[Order Article Reprints \(/2075-1680/10/4/255/reprints\)](#)

Open Access Article

1 <https://www.mdpi.com/2075-1680/10/4/255/reprints>  
Altmetric

# On Some Fractional Integral Inequalities Involving Caputo–Fabrizio Integral Operator

by **Vaijanath L. Chinchane** <sup>1</sup> (mailto:chinchane85@gmail.com) (<https://orcid.org/0000-0003-4246-8405>),  
**Asha B. Nale** <sup>2</sup> (mailto:ashabnale@gmail.com) (<https://orcid.org/0000-0003-2793-5992>),  
**Satish K. Panchal** <sup>2</sup> (mailto:drskpanchal@gmail.com) and  
**Christophe Chesneau** <sup>3,\*</sup> (mailto:christophe.chesneau@unicaen.fr)

[Share](#)



[Help](#)



[Cite](#)



[Discuss in SciProfiles](#)

[https://sciprofil/discussigroups/public/10](https://sciprofil.discussigroups/public/10)

<sup>3,1</sup> Department of Mathematics, Deogiri Institute of Engineering and Management Studies, Aunangabad 431005, India



Department of Mathematics, Dr. Bhausaheb Ambedkar Marathwada University, Aunangabad 431005, India

Author to whom correspondence should be addressed.




Endorse

*Axioms* **2021**, *10*(4), 255; <https://doi.org/10.3390/axioms10040255> (<https://doi.org/10.3390/axioms10040255>)


Comment

**Submission received: 6 September 2021 / Revised: 6 October 2021 /**

**Accepted: 11 October 2021 / Published: 14 October 2021**

 **Download**

**Versions Notes (/2075-1680/10/4/255/notes)**



### Abstract

In this paper, we deal with the Caputo–Fabrizio fractional integral operator with a nonsingular kernel and establish some new integral inequalities for the Chebyshev functional in the case of synchronous function by employing the fractional integral. Moreover, several fractional integral inequalities for extended Chebyshev functional by considering the Caputo–Fabrizio fractional integral operator are discussed. In addition, we obtain fractional integral inequalities for three positive functions involving the same operator.

**Keywords:** Caputo–Fabrizio fractional integral (/search?q=Caputo%E2%80%93Fabrizio+fractional+integral); fractional integral inequality (/search?q=fractional+integral+inequality)

**MSC:** 26D10; 26D33

### 1. Introduction

Fractional calculus is a generalization of traditional calculus which deals with nonnegative integer order integration and differentials which have various applications in different fields of science and technology. On this vast subject, we may cite [1,2,3,4,5,6]. In order to introduce some preliminary background to our findings, let us consider the following:

$$\mathcal{I}(\phi, \varphi) := \frac{1}{r_2 - r_1} \int_{r_1}^{r_2} \phi(\xi)\varphi(\xi)d\xi - \frac{1}{r_2 - r_1} \int_{r_1}^{r_2} \phi(\xi)d\xi \frac{1}{r_2 - r_1} \int_{r_1}^{r_2} \varphi(\xi)d\xi, \tag{1}$$

where  $\phi$  and  $\varphi$  are two integrable functions which are synchronous on  $[r_1, r_2]$ , i.e.,  $(\phi(\xi_1) - \phi(\xi_2))(\varphi(\xi_1) - \varphi(\xi_2)) \geq 0$  for any  $\xi_1, \xi_2 \in [r_1, r_2]$ . Further development of this

functional can be found in [7,8]. Now, we present the extended Chebyshev's function defined by



$$\begin{aligned}
 \mathcal{T}(\Phi, \Psi, \phi, \varphi) &:= \int_{r_1}^{r_2} \varphi(\xi) d\xi \int_{r_1}^{r_2} \phi(\xi) \Phi(\xi) \Psi(\xi) d\xi \\
 &+ \int_{r_1}^{r_2} \phi(\xi) d\xi \int_{r_1}^{r_2} \varphi(\xi) \Phi(\xi) \Psi(\xi) d\xi \\
 &- \int_{r_1}^{r_2} \phi(\xi) \Phi(\xi) d\xi \int_{r_1}^{r_2} \varphi(\xi) \Psi(\xi) d\xi \\
 &- \int_{r_1}^{r_2} \varphi(\xi) \Phi(\xi) d\xi \int_{r_1}^{r_2} \phi(\xi) \Psi(\xi) d\xi.
 \end{aligned}
 \tag{2}$$

See [9]. In the literature, many specialists have proposed fractional integral inequalities for Chebyshev functional (1) and extended Chebyshev functional (2), see [1,9,10,11,12]. Recently, many researchers in several fields have found different results about some known fractional integral inequalities and applications by means of the generalization of the Riemann–Liouville, Caputo, Hadamard, Erdelyi–Kober, Saigo, Katugamapola and some other fractional integral operators, see [1,9,13,14,15,16,17,18,19,20,21,22].

The main motivation of the Caputo–Fabrizio integral and derivative operator is that it is a general fractional integral and derivative. In addition, it has a non singular kernel which can be described as a real power turned into an integral by means of the Laplace transform. Consequently, an exact solution can be easily found for several problems. Nowadays, fractional integral and derivative play big role for modeling various phenomenon physics. However, in [23,24], Caputo and Fabrizio introduced new fractional derivatives and integrals without a singular kernel. Certain phenomena related to material heterogeneities cannot be well-modeled by considering the Riemann–Liouville and Caputo fractional derivatives due to the singular kernel. It stems from Caputo and Fabrizio's proposal of a new fractional integral involving the nonsingular kernel  $e^{-\frac{1-\kappa}{\kappa}(\xi-s)}, 0 < \kappa < 1$ . Recently, many mathematicians in applied sciences are using the Caputo–Fabrizio fractional integral operator to model their problems. For more details, we refer to [25,26,27,28,29,30,31]. In [32], the authors presented the fundamental solutions to the Cauchy and Dirichlet problems based upon a heat conduction equation equipped with the Caputo–Fabrizio derivative, which is investigated on a line segment. The main advantage of the Caputo–Fabrizio integral operator is that the boundary condition of the fractional differential equations with Caputo–Fabrizio derivatives admits the same form as for the integer-order differential equations. In the literature, very little work has been conducted on fractional integral inequalities using Caputo and Caputo–Fabrizio integral operators. In [16,17,18], the authors have established some new integral inequalities for the Chebyshev



and extended Chebyshev functionals using different fractional operators. Recently, in [33], the authors have investigated several new estimations of the Hermite-Hadamard type inequality via generalized convex functions of the Raina type. In [34,35], the authors established fractional integral inequalities involving the Caputo–Fabrizio operator. From the above cited work, the main objective of this paper is to obtain some fractional integral inequalities for the functionals (1) and (2) by considering the Caputo–Fabrizio fractional integral operator. In addition, we establish some fractional integral inequalities for three positive and synchronous functions. The paper is organized into the following sections. **Section 2** gives some basic definitions of fractional calculus. **Section 3** is devoted to the proof of some fractional inequalities for Chebyshev functionals using the Caputo–Fabrizio fractional operator. **Section 4** presents some inequalities involving the extended Chebyshev fractional in the case of synchronous function by employing the Caputo–Fabrizio fractional integral operator. Finally, concluding remarks are given in **Section 5**.

## 2. Preliminaries

Here, we provide some basic definitions of fractional calculus related to the Caputo–Fabrizio fractional integral operator.

**Definition 1** ([24,34]). Let  $\kappa \in \mathbb{R}$  such that  $0 < \kappa \leq 1$ . The Caputo–Fabrizio fractional integral of order  $\kappa$  of a function  $\phi$  is defined by

$$\mathcal{J}_{0,\xi}^{\kappa}[\phi(\xi)] = \frac{1}{\kappa} \int_0^{\xi} e^{-\frac{1-\kappa}{\kappa}(\xi-s)} \phi(s) ds. \quad (3)$$

For  $\kappa = 1$ , it is reduced to

$$\mathcal{J}_{0,\xi}^1[\phi(\xi)] = \int_0^{\xi} \phi(s) ds.$$

The above definition may be extended to any  $\kappa > 0$ .

**Definition 2** ([24,34]). Let  $\kappa, a \in \mathbb{R}$  such that  $0 < \kappa < 1$ . The Caputo–Fabrizio fractional derivative of order  $\kappa$  of a function  $\phi$  is defined by

$$\mathcal{J}_{a,\xi}^{\kappa}[\phi(\xi)] = \frac{1}{1-\kappa} \int_a^{\xi} e^{-\frac{\kappa}{1-\kappa}(\xi-s)} \phi'(s) ds. \quad (4)$$


In this study, the focus is put on the Caputo–Fabrizio fractional integral operator, aiming to demonstrate some new inequalities involving it.



### 3. Fractional Inequalities for Chebyshev Functional



Here, we obtain inequalities for the Chebyshev functional using the Caputo–Fabrizio fractional operator.



**Theorem 1.** Let  $\phi$  and  $\varphi$  be two synchronous functions on  $[0, \infty)$ . Then for all  $\xi, \kappa > 0$ , we have

$$J_{0,\xi}^\kappa[\phi\varphi(\xi)] \geq \frac{1}{J_{0,\xi}^\kappa[1]} J_{0,\xi}^\kappa[\phi(\xi)]J_{0,\xi}^\kappa[\varphi(\xi)], \tag{5}$$

where  $J_{0,\xi}^\kappa[1] = \frac{1}{1-\kappa} (1 - e^{-\frac{1-\kappa}{\kappa}\xi})$ .

**Proof.** Since  $\phi$  and  $\varphi$  are synchronous on  $[0, \infty)$  for all  $\mu, \theta \geq 0$ , we have

$$\phi(\mu) - \phi(\theta)\varphi(\mu) - \varphi(\theta) \geq 0. \tag{6}$$

From (6), we get

$$\phi(\mu)\varphi(\mu) + \phi(\theta)\varphi(\theta) \geq \phi(\mu)\varphi(\theta) + \phi(\theta)\varphi(\mu). \tag{7}$$

By multiplying (7) by  $\frac{1}{\kappa} e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)}$ , which is positive, and then integrating the resulting identity with respect to  $\mu$  from 0 to  $\xi$ , we have

$$\begin{aligned} & \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\mu)\varphi(\mu) d\mu + \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\theta)\varphi(\theta) d\mu \\ & \geq \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\mu)\varphi(\theta) d\mu + \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\theta)\varphi(\mu) d\mu. \end{aligned} \tag{8}$$

Hence,

$$\begin{aligned} & J_{0,\xi}^\kappa[\phi\varphi](\xi) + \phi(\theta)\varphi(\theta) \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} d\mu \\ & \geq \varphi(\theta) \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\mu) d\mu + \phi(\theta) \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \varphi(\mu) d\mu, \end{aligned} \tag{9}$$

which implies that

$$J_{0,\xi}^\kappa[\phi\varphi(\xi)] + \phi(\theta)\varphi(\theta)J_{0,\xi}^\kappa[1] \geq \varphi(\theta)J_{0,\xi}^\kappa[\phi(\xi)] + \phi(\theta)J_{0,\xi}^\kappa[\varphi(\xi)]. \tag{10}$$

By multiplying (10) by  $\frac{1}{\kappa} e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)}$ , which is positive, and then integrating  $\theta$  from 0 to  $\xi$ , we have



$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} d\theta + \mathcal{J}_{0,\xi}^\kappa[1] \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} \phi(\theta)\varphi(\theta) d\theta \\
 & \geq \mathcal{J}_{0,\xi}^\kappa[\phi(\xi)] \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} \varphi(\theta) d\theta + \mathcal{J}_{0,\xi}^\kappa[\varphi(\xi)] \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} \phi(\theta) d\theta.
 \end{aligned} \tag{11}$$

Therefore

$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)]\mathcal{J}_{0,\xi}^\kappa[1] + \mathcal{J}_{0,\xi}^\kappa[1]\mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] \\
 & \geq \mathcal{J}_{0,\xi}^\kappa[\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa[\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[\varphi(\xi)]\mathcal{J}_{0,\xi}^\kappa[\phi(\xi)].
 \end{aligned} \tag{12}$$

It follows that

$$\mathcal{J}_{0,\xi}^\kappa[1]2\mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] \geq 2\mathcal{J}_{0,\xi}^\kappa[\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa[\varphi(\xi)]. \tag{13}$$

This ends the proof of Theorem 1.  $\square$

**Theorem 2.** Let  $\phi$  and  $\varphi$  be two synchronous functions on  $[0, \infty)$ . Then, for all  $\xi, \kappa, \lambda > 0$ , we have

$$\begin{aligned}
 & \frac{1}{1-\lambda} 1 - e^{-\frac{1-\lambda}{\lambda}\xi} \mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] + \frac{1}{1-\kappa} 1 - e^{-\frac{1-\kappa}{\kappa}\xi} \mathcal{J}_{0,\xi}^\lambda[\phi\varphi(\xi)] \\
 & \geq \mathcal{J}_{0,\xi}^\kappa[\phi(\xi)]\mathcal{J}_{0,\xi}^\lambda[\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[\varphi(\xi)]\mathcal{J}_{0,\xi}^\lambda[\phi(\xi)].
 \end{aligned} \tag{14}$$

**Proof.** To prove this theorem, first multiply the inequality (10) by  $\frac{1}{\lambda} e^{-\frac{1-\lambda}{\lambda}(\xi-\theta)}$ , which is positive. Then, by integrating the resulting identity with respect to  $\theta$  over 0 to  $\xi$ , we obtain

$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] \frac{1}{\lambda} \int_0^\xi e^{-\frac{1-\lambda}{\lambda}(\xi-\theta)} d\theta + \mathcal{J}_{0,\xi}^\kappa[1] \frac{1}{\lambda} \int_0^\xi e^{-\frac{1-\lambda}{\lambda}(\xi-\theta)} \phi(\theta)\varphi(\theta) d\theta \\
 & \geq \mathcal{J}_{0,\xi}^\kappa[\phi(\xi)] \frac{1}{\lambda} \int_0^\xi e^{-\frac{1-\lambda}{\lambda}(\xi-\theta)} \varphi(\theta) d\theta + \mathcal{J}_{0,\xi}^\kappa[\varphi(\xi)] \frac{1}{\lambda} \int_0^\xi e^{-\frac{1-\lambda}{\lambda}(\xi-\theta)} \phi(\theta) d\theta,
 \end{aligned} \tag{15}$$

and this ends the proof of Theorem 2.  $\square$

**Remark 1.** Applying Theorem 2 for  $\kappa = \lambda$ , we rediscover Theorem 1.

**Theorem 3.** Let  $(\phi_i)_{i=1,2,\dots,n}$  be positive increasing functions on  $[0, \infty)$ . Then, for all  $\xi, \kappa > 0$ , we have

$$\mathcal{J}_{0,\xi}^\kappa \prod_{i=1}^n \phi_i(\xi) \geq \mathcal{J}_{0,\xi}^\kappa[1]^{1-n} \prod_{i=1}^n \mathcal{J}_{0,\xi}^\kappa[\phi_i(\xi)]. \tag{16}$$


**Proof.** We prove this theorem by induction. Clearly, for  $n = 1$ , we have  $\mathcal{J}_{0,\xi}^\kappa[\phi_1(\xi)] \geq \mathcal{J}_{0,\xi}^\kappa[\phi_1(\xi)]$ , for all  $\xi, \kappa > 0$ .

For  $n = 2$ , applying the Equation (5), we obtain

$$\mathcal{J}_{0,\xi}^\kappa[\phi_1\phi_2(\xi)] \geq \mathcal{J}_{0,\xi}^\kappa[1]^{-1} \mathcal{J}_{0,\xi}^\kappa[\phi_1(\xi)]\mathcal{J}_{0,\xi}^\kappa[\phi_2(\xi)]. \tag{17}$$





Suppose that, by induction hypothesis,  


$$J_{0,\xi}^\kappa \prod_{i=1}^{n-1} [\phi_i(\xi)] \geq J_{0,\xi}^\kappa [1]^{2-n} \prod_{i=1}^{n-1} J_{0,\xi}^\kappa [\phi_i(\xi)], \tag{18}$$

for all  $\xi, \kappa > 0$ . Now, since  $(\phi_i)_{i=1,2,\dots,n}$  are positive increasing functions, then  $(\prod_{i=1}^{n-1} \phi_i)(\xi)$  is an increasing function. Therefore we can apply Theorem 1 to the functions  $\prod_{i=1}^{n-1} \phi_i = \varphi$  and  $\phi_n = \phi$ , and we obtain

$$\begin{aligned} J_{0,\xi}^\kappa \prod_{i=1}^n [\phi_i(\xi)] &\geq J_{0,\xi}^\kappa \prod_{i=1}^{n-1} [\phi_i \phi_n(\xi)] \geq J_{0,\xi}^\kappa [\varphi \phi(\xi)] \\ &\geq J_{0,\xi}^\kappa [1]^{-1} J_{0,\xi}^\kappa [\varphi(\xi)] J_{0,\xi}^\kappa [\phi(\xi)] \\ &\geq J_{0,\xi}^\kappa [1]^{-1} J_{0,\xi}^\kappa \prod_{i=1}^{n-1} \phi_i(\xi) J_{0,\xi}^\kappa [\phi_n(\xi)] \\ &\geq J_{0,\xi}^\kappa [1]^{-1} J_{0,\xi}^\kappa [1]^{2-n} \prod_{i=1}^{n-1} J_{0,\xi}^\kappa [\phi_i(\xi)] J_{0,\xi}^\kappa [\phi_n(\xi)] \\ &\geq J_{0,\xi}^\kappa [1]^{1-n} \prod_{i=1}^n J_{0,\xi}^\kappa [\phi_i(\xi)]. \end{aligned} \tag{19}$$

This completes the proof of Theorem 3.  $\square$

#### 4. Fractional Inequalities for Extended Chebyshev Fractional

Here, we present some inequalities on extended Chebyshev fractional in the case of synchronous functions by employing the Caputo–Fabrizio fractional integral operator.

**Lemma 1.** *Let  $\phi$  and  $\varphi$  be two integrable and synchronous functions on  $[0, \infty)$  and  $u, v: [0, \infty) \rightarrow [0, \infty)$ . Then, for all  $\kappa, \xi > 0$ , we have*

$$\begin{aligned} J_{0,\xi}^\kappa [u(\xi)] J_{0,\xi}^\kappa [v\phi\varphi(\xi)] + J_{0,\xi}^\kappa [v(\xi)] J_{0,\xi}^\kappa [u\phi\varphi(\xi)] &\geq \\ J_{0,\xi}^\kappa [u\phi(\xi)] J_{0,\xi}^\kappa [v\varphi(\xi)] + J_{0,\xi}^\kappa [v\phi(\xi)] J_{0,\xi}^\kappa [u\varphi(\xi)]. \end{aligned} \tag{20}$$


**Proof.** Since  $\phi$  and  $\varphi$  are synchronous functions on  $[0, \infty)$ , for all  $\mu, \theta \geq 0$ , we have

$$\phi(\mu) - \phi(\theta)\varphi(\mu) - \varphi(\theta) \geq 0. \tag{21}$$

Owing to (21), we obtain

$$\phi(\mu)\varphi(\mu) + \phi(\theta)\varphi(\theta) \geq \phi(\mu)\varphi(\theta) + \phi(\theta)\varphi(\mu). \tag{22}$$

By multiplying (22) by  $\frac{u(\mu)}{\kappa} e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)}$ , which is positive, and then integrating with respect to  $\mu$  from 0 to  $\xi$ , we have



$$\begin{aligned}
 & \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} u(\mu) \phi(\mu) \varphi(\mu) d\mu + \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} u(\mu) \phi(\theta) \varphi(\theta) d\mu \\
 & \geq \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} u(\mu) \phi(\mu) \varphi(\theta) d\mu + \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} u(\mu) \phi(\theta) \varphi(\mu) d\mu.
 \end{aligned} \tag{23}$$

Consequently,

$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^\kappa [u\phi\varphi(\xi)] + \phi(\theta)\varphi(\theta)\mathcal{J}_{0,\xi}^\kappa [u(\xi)] \\
 & \geq \varphi(\theta)\mathcal{J}_{0,\xi}^\kappa [u\phi(\xi)] + \phi(\theta)\mathcal{J}_{0,\xi}^\kappa [u\varphi(\xi)].
 \end{aligned} \tag{24}$$

By multiplying (24) by  $\frac{v(\theta)}{\kappa} e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)}$ , which is positive, and then integrating with respect to  $\theta$  from 0 to  $\xi$ , we have

$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^\kappa [u\phi\varphi(\xi)] \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} v(\theta) d\theta \\
 & + \mathcal{J}_{0,\xi}^\kappa [u(\xi)] \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} v(\theta) \phi(\theta) \varphi(\theta) d\theta \\
 & \geq \mathcal{J}_{0,\xi}^\kappa [u\phi(\xi)] \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} v(\theta) \varphi(\theta) d\theta \\
 & + \mathcal{J}_{0,\xi}^\kappa [u\varphi(\xi)] \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} v(\theta) \phi(\theta) d\theta.
 \end{aligned} \tag{25}$$

This completes the proof of the inequality (20).  $\square$

Now, we give our main result.

**Theorem 4.** Let  $\phi$  and  $\varphi$  be two integrable and synchronous functions on  $[0, \infty)$ , and  $r, p, q: [0, \infty) \rightarrow [0, \infty)$ . Then, for all  $\kappa, \xi > 0$ , we have


$$\begin{aligned}
 & 2\mathcal{J}_{0,\xi}^\kappa [r(\xi)]\mathcal{J}_{0,\xi}^\kappa [p(\xi)]\mathcal{J}_{0,\xi}^\kappa [q\phi\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa [q(\xi)]\mathcal{J}_{0,\xi}^\kappa [p\phi\varphi(\xi)] + \\
 & 2\mathcal{J}_{0,\xi}^\kappa [p(\xi)]\mathcal{J}_{0,\xi}^\kappa [q(\xi)]\mathcal{J}_{0,\xi}^\kappa [r\phi\varphi(\xi)] \geq \\
 & \mathcal{J}_{0,\xi}^\kappa [r(\xi)]\mathcal{J}_{0,\xi}^\kappa [p\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa [q\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa [q\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa [p\varphi(\xi)] + \\
 & \mathcal{J}_{0,\xi}^\kappa [p(\xi)]\mathcal{J}_{0,\xi}^\kappa [r\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa [q\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa [q\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa [r\varphi(\xi)] + \\
 & \mathcal{J}_{0,\xi}^\kappa [q(\xi)]\mathcal{J}_{0,\xi}^\kappa [r\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa [p\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa [p\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa [r\varphi(\xi)].
 \end{aligned} \tag{26}$$



**Proof.** To prove this theorem, put  $u = p$ ,  $v = q$ , and using Lemma 1, we get

$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^\kappa [p(\xi)]\mathcal{J}_{0,\xi}^\kappa [q\phi\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa [q(\xi)]\mathcal{J}_{0,\xi}^\kappa [p\phi\varphi(\xi)] \geq \\
 & \mathcal{J}_{0,\xi}^\kappa [p\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa [q\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa [q\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa [p\varphi(\xi)].
 \end{aligned} \tag{27}$$

Now, multiplying both sides in (27) by  $\mathcal{J}_{0,\xi}^\kappa [r(\xi)]$ , we have



 
$$\begin{aligned} & \mathcal{J}_{0,\xi}^\kappa[r(\xi)]\mathcal{J}_{0,\xi}^\kappa[p(\xi)]\mathcal{J}_{0,\xi}^\kappa[q\phi\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[q(\xi)]\mathcal{J}_{0,\xi}^\kappa[p\phi\varphi(\xi)] \geq \\ & \mathcal{J}_{0,\xi}^\kappa[r(\xi)]\mathcal{J}_{0,\xi}^\kappa[p\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa[q\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[q\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa[p\varphi(\xi)]. \end{aligned} \tag{28}$$

Again, by putting  $u = r, v = q$ , and using Lemma 1, we get [\(toggle\\_desktop\\_layout\\_cookie\)](#)  

$$\begin{aligned} & \mathcal{J}_{0,\xi}^\kappa[r(\xi)]\mathcal{J}_{0,\xi}^\kappa[q\phi\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[q(\xi)]\mathcal{J}_{0,\xi}^\kappa[r\phi\varphi(\xi)] \geq \\ & \mathcal{J}_{0,\xi}^\kappa[r\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa[q\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[q\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa[r\varphi(\xi)]. \end{aligned} \tag{29}$$

By multiplying both sides of (29) by  $\mathcal{J}_{0,\xi}^\kappa[p(\xi)]$ , we have

$$\begin{aligned} & \mathcal{J}_{0,\xi}^\kappa[p(\xi)]\mathcal{J}_{0,\xi}^\kappa[r(\xi)]\mathcal{J}_{0,\xi}^\kappa[q\phi\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[q(\xi)]\mathcal{J}_{0,\xi}^\kappa[p\phi\varphi(\xi)] \geq \\ & \mathcal{J}_{0,\xi}^\kappa[p(\xi)]\mathcal{J}_{0,\xi}^\kappa[r\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa[q\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[q\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa[p\varphi(\xi)]. \end{aligned} \tag{30}$$

With the same arguments as in the inequalities (29) and (30), we can write

$$\begin{aligned} & \mathcal{J}_{0,\xi}^\kappa[q(\xi)]\mathcal{J}_{0,\xi}^\kappa[r(\xi)]\mathcal{J}_{0,\xi}^\kappa[p\phi\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[p(\xi)]\mathcal{J}_{0,\xi}^\kappa[r\phi\varphi(\xi)] \geq \\ & \mathcal{J}_{0,\xi}^\kappa[q(\xi)]\mathcal{J}_{0,\xi}^\kappa[r\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa[p\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[p\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa[r\varphi(\xi)]. \end{aligned} \tag{31}$$

Adding the inequalities (28), (30) and (31), we get the required inequality (26).  $\square$

**Lemma 2.** Let  $\phi$  and  $\varphi$  be two integrable and synchronous functions on  $[0, \infty)$ , and  $u, v: [0, \infty) \rightarrow [0, \infty)$ . Then, for all  $\xi, \kappa, \lambda > 0$ , we have

$$\begin{aligned} & \mathcal{J}_{0,\xi}^\kappa[u(\xi)]\mathcal{J}_{0,\xi}^\lambda[v\phi\varphi(\xi)] + \mathcal{J}_{0,\xi}^\lambda[v(\xi)]\mathcal{J}_{0,\xi}^\kappa[u\phi\varphi(\xi)] \geq \\ & \mathcal{J}_{0,\xi}^\kappa[u\phi(\xi)]\mathcal{J}_{0,\xi}^\lambda[v\varphi(\xi)] + \mathcal{J}_{0,\xi}^\lambda[v\phi(\xi)]\mathcal{J}_{0,\xi}^\kappa[u\varphi(\xi)]. \end{aligned} \tag{32}$$

**Proof.** By multiplying both sides of (24) by  $\frac{v(\theta)}{\lambda} e^{-\frac{1-\lambda}{\lambda}(\xi-\theta)}$ , which is positive, and then integrating with respect to  $\theta$  from 0 to  $\xi$ , we have

$$\begin{aligned} & \mathcal{J}_{0,\xi}^\kappa[u\phi\varphi(\xi)] \frac{1}{\lambda} \int_0^\xi e^{-\frac{1-\lambda}{\lambda}(\xi-\theta)} v(\theta) d\theta \\ & + \mathcal{J}_{0,\xi}^\kappa[u(\xi)] \frac{1}{\lambda} \int_0^\xi e^{-\frac{1-\lambda}{\lambda}(\xi-\theta)} v(\theta) \phi(\theta) \varphi(\theta) d\theta \\ & \geq \mathcal{J}_{0,\xi}^\kappa[u\phi(\xi)] \frac{1}{\lambda} \int_0^\xi e^{-\frac{1-\lambda}{\lambda}(\xi-\theta)} v(\theta) \varphi(\theta) d\theta \\ & + \mathcal{J}_{0,\xi}^\kappa[u\varphi(\xi)] \frac{1}{\lambda} \int_0^\xi e^{-\frac{1-\lambda}{\lambda}(\xi-\theta)} v(\theta) \phi(\theta) d\theta. \end{aligned} \tag{33}$$

This completes the proof of Lemma 2.  $\square$

**Theorem 5.** Let  $\phi$  and  $\varphi$  be two integrable and synchronous functions on  $[0, \infty)$ , and  $r, p, q: [0, \infty) \rightarrow [0, \infty)$ . Then, for all  $\xi, \kappa, \lambda > 0$ , we have





$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^{\kappa}[r(\xi)] [\mathcal{J}_{0,\xi}^{\kappa}[q(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[p\phi\varphi(\xi)] + 2 \mathcal{J}_{0,\xi}^{\kappa}[p(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[q\phi\varphi(\xi)] \\
 & + \mathcal{J}_{0,\xi}^{\lambda}[q(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[p\phi\varphi(\xi)]] \\
 & + \mathcal{J}_{0,\xi}^{\kappa}[p(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[q(\xi)] + \mathcal{J}_{0,\xi}^{\lambda}[p(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[q(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r\phi\varphi(\xi)] \geq \\
 & \mathcal{J}_{0,\xi}^{\kappa}[r(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[p\phi(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[q\varphi(\xi)] + \mathcal{J}_{0,\xi}^{\lambda}[q\phi(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[p\varphi(\xi)] + \\
 & \mathcal{J}_{0,\xi}^{\kappa}[p(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r\phi(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[q\varphi(\xi)] + \mathcal{J}_{0,\xi}^{\lambda}[q\phi(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r\varphi(\xi)] + \\
 & \mathcal{J}_{0,\xi}^{\kappa}[q(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r\phi(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[p\varphi(\xi)] + \mathcal{J}_{0,\xi}^{\lambda}[p\phi(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r\varphi(\xi)].
 \end{aligned}
 \tag{34}$$

**Proof.** To prove this theorem, we put  $u = p$ ,  $v = q$  and, by using Lemma 2, we get

$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^{\kappa}[p(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[q\phi\varphi(\xi)] + \mathcal{J}_{0,\xi}^{\lambda}[q(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[p\phi\varphi(\xi)] \geq \\
 & \mathcal{J}_{0,\xi}^{\kappa}[p\phi(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[q\varphi(\xi)] + \mathcal{J}_{0,\xi}^{\lambda}[q\phi(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[p\varphi(\xi)].
 \end{aligned}
 \tag{35}$$

Now, multiplying both sides of (35) by  $\mathcal{J}_{0,\xi}^{\kappa}[r(\xi)]$ , we obtain

$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^{\kappa}[r(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[p(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[q\phi\varphi(\xi)] + \mathcal{J}_{0,\xi}^{\lambda}[q(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[p\phi\varphi(\xi)] \geq \\
 & \mathcal{J}_{0,\xi}^{\kappa}[r(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[p\phi(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[q\varphi(\xi)] + \mathcal{J}_{0,\xi}^{\lambda}[q\phi(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[p\varphi(\xi)].
 \end{aligned}
 \tag{36}$$

By putting  $u = r$ ,  $v = q$ , and using Lemma 2, we get

$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^{\kappa}[r(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[q\phi\varphi(\xi)] + \mathcal{J}_{0,\xi}^{\lambda}[q(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r\phi\varphi(\xi)] \geq \\
 & \mathcal{J}_{0,\xi}^{\kappa}[r\phi(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[q\varphi(\xi)] + \mathcal{J}_{0,\xi}^{\lambda}[q\phi(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r\varphi(\xi)].
 \end{aligned}
 \tag{37}$$

By multiplying both sides of (37) by  $\mathcal{J}_{0,\xi}^{\kappa}[p(\xi)]$ , we have

$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^{\kappa}[p(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[q\phi\varphi(\xi)] + \mathcal{J}_{0,\xi}^{\lambda}[q(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r\phi\varphi(\xi)] \geq \\
 & \mathcal{J}_{0,\xi}^{\kappa}[p(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r\phi(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[q\varphi(\xi)] + \mathcal{J}_{0,\xi}^{\lambda}[q\phi(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r\varphi(\xi)].
 \end{aligned}
 \tag{38}$$

With the same argument as in the Equations (37) and (38), we obtain

$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^{\kappa}[q(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[p\phi\varphi(\xi)] + \mathcal{J}_{0,\xi}^{\lambda}[p(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r\phi\varphi(\xi)] \geq \\
 & \mathcal{J}_{0,\xi}^{\kappa}[q(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r\phi(\xi)] \mathcal{J}_{0,\xi}^{\lambda}[p\varphi(\xi)] + \mathcal{J}_{0,\xi}^{\lambda}[p\phi(\xi)] \mathcal{J}_{0,\xi}^{\kappa}[r\varphi(\xi)].
 \end{aligned}
 \tag{39}$$

Adding the inequalities (36), (38) and (39), we get the inequality (34).  $\square$

**Remark 2.** If  $\phi, \varphi, r, p$  and  $q$  are functions satisfying the following conditions:

1. The functions  $\phi$  and  $\varphi$  are asynchronous on  $[0, \infty)$ .
2. The functions  $r, p, q$  are negative on  $[0, \infty)$ .
3. Two of the functions  $r, p, q$  are positive and the third is negative on  $[0, \infty)$ .

Then, the inequalities (26) and (34) are reversed.

Here, we give some fractional integral inequalities involving the Caputo–Fabrizio fractional integer operator.

**Theorem 6.** Let  $\phi, \varphi$  and  $\chi$  be three positive functions on  $[0, \infty)$  such that

$$\phi(\mu) = \phi(\theta)\varphi(\mu) - \varphi(\theta)\chi(\mu) + \chi(\theta) \geq 0,
 \tag{40}$$

for all  $\mu, \theta \geq 0$ . Then



$$\begin{aligned} & \mathcal{J}_{0,\xi}^\kappa[\phi\varphi\chi(\xi)] \frac{1}{1-\kappa} 1 - e^{-\frac{1-\kappa}{\kappa}\xi} + \mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\chi(\xi)] \\ & \geq \mathcal{J}_{0,\xi}^\kappa[\varphi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\phi\chi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[\phi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\varphi\chi(\xi)], \end{aligned} \tag{41}$$

for all  $\kappa, \xi > 0$ .

**Proof.** From the condition (40), for any  $\mu, \theta \geq 0$ , we have

$$\begin{aligned} & \phi(\mu)\varphi(\mu)\chi(\mu) + \phi(\mu)\varphi(\mu)\chi(\theta) + \phi(\theta)\varphi(\theta)\chi(\mu) + \phi(\theta)\varphi(\theta)\chi(\theta) \\ & \geq \phi(\mu)\varphi(\theta)\chi(\mu) + \phi(\theta)\varphi(\mu)\chi(\mu) + \phi(\theta)\varphi(\mu)\chi(\theta) + \phi(\mu)\varphi(\theta)\chi(\theta). \end{aligned} \tag{42}$$

By multiplying both sides of the inequality (42) by  $\frac{1}{\kappa} e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)}$ , which is positive, and then integrating with respect to  $\mu$  from 0 to  $\xi$ , we get

$$\begin{aligned} & \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\mu)\varphi(\mu)\chi(\mu) d\mu + \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\mu)\varphi(\mu)\chi(\theta) d\mu \\ & + \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\theta)\varphi(\theta)\chi(\mu) d\mu + \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\theta)\varphi(\theta)\chi(\theta) d\mu \\ & \geq \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\mu)\varphi(\theta)\chi(\mu) d\mu + \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\theta)\varphi(\mu)\chi(\mu) d\mu \\ & + \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\theta)\varphi(\mu)\chi(\theta) d\mu + \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\mu)\varphi(\theta)\chi(\theta) d\mu, \end{aligned} \tag{43}$$

which implies that

$$\begin{aligned} & \mathcal{J}_{0,\xi}^\kappa[\phi\varphi\chi(\xi)] + \chi(\theta)\mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] + \phi(\theta)\varphi(\theta)\mathcal{J}_{0,\xi}^\kappa[\chi(\xi)] \\ & + \phi(\theta)\varphi(\theta)\chi(\theta) \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} d\mu \geq \varphi(\theta)\mathcal{J}_{0,\xi}^\kappa[\phi\chi(\xi)] \\ & + \phi(\theta)\mathcal{J}_{0,\xi}^\kappa[\varphi\chi(\xi)] + \phi(\theta)\chi(\theta)\mathcal{J}_{0,\xi}^\kappa[\varphi(\xi)] + \varphi(\theta)\chi(\theta)\mathcal{J}_{0,\xi}^\kappa[\phi(\xi)]. \end{aligned} \tag{44}$$

Again, multiplying inequality (44) by  $\frac{1}{\kappa} e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)}$ , which is positive, and integrating with respect to  $\theta$  from 0 to  $\xi$ , we have



$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^\kappa[\phi\chi](\xi) \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} d\theta + \mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} \chi(\theta) d\theta \\
 & + \mathcal{J}_{0,\xi}^\kappa[\chi(\xi)] \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\rho)} \phi(\theta)\varphi(\theta) d\theta \\
 & + \frac{1}{1-\kappa} 1 - e^{-\frac{1-\kappa}{\kappa}\xi} \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} \phi(\theta)\varphi(\theta)\chi(\theta) d\theta \\
 & \geq \frac{\mathcal{J}_{0,\xi}^\kappa[\phi\chi(\xi)]}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} \varphi(\theta) d\theta + \mathcal{J}_{0,\xi}^\kappa[\varphi\chi(\xi)] \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} \phi(\theta) d\theta \\
 & + \frac{\mathcal{J}_{0,\xi}^\kappa[\varphi(\xi)]}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} \phi(\theta)\chi(\theta) d\theta + \frac{\mathcal{J}_{0,\xi}^\kappa[\phi(\xi)]}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\theta)} \varphi(\theta)\chi(\theta) d\theta.
 \end{aligned} \tag{45}$$

Hence,

$$\begin{aligned}
 & \frac{1}{1-\kappa} 1 - e^{-\frac{1-\kappa}{\kappa}\xi} \mathcal{J}_{0,\xi}^\kappa[\phi\varphi\chi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\chi(\xi)] \\
 & + \mathcal{J}_{0,\xi}^\kappa[\chi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] + \frac{1}{1-\kappa} 1 - e^{-\frac{1-\kappa}{\kappa}\xi} \mathcal{J}_{0,\xi}^\kappa[\phi\varphi\chi(\xi)] \\
 & \geq \mathcal{J}_{0,\xi}^\kappa[\phi\chi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[\varphi\chi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\phi(\xi)] \\
 & + \mathcal{J}_{0,\xi}^\kappa[\phi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\phi\chi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[\phi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\phi\chi(\xi)].
 \end{aligned} \tag{46}$$

This completes the proof of the inequality (41). □

**Theorem 7.** Let  $\phi, \varphi$  and  $\chi$  be three positive functions on  $[0, \infty)$  such that

$$\phi(\mu) - \phi(\theta)\varphi(\mu) + \varphi(\theta)\chi(\mu) + \chi(\theta) \geq 0, \tag{47}$$

for all  $\mu, \theta \geq 0$ . Then

$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^\kappa[\phi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\varphi\chi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[\phi\chi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\varphi(\xi)] \\
 & \geq \mathcal{J}_{0,\xi}^\kappa[\varphi\chi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\phi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[\chi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)],
 \end{aligned} \tag{48}$$


for all  $\kappa, \xi > 0$ .

**Proof.** From the condition (40), for any  $\mu, \theta \geq 0$ , we have

$$\begin{aligned}
 & \phi(\mu)\varphi(\mu)\chi(\mu) + \phi(\mu)\varphi(\mu)\chi(\theta) + \phi(\mu)\varphi(\theta)\chi(\mu) + \phi(\mu)\varphi(\theta)\chi(\theta) \\
 & \geq \phi(\theta)\varphi(\mu)\chi(\mu) + \phi(\theta)\varphi(\mu)\chi(\theta) + \phi(\theta)\varphi(\theta)\chi(\mu) + \phi(\theta)\varphi(\theta)\chi(\theta).
 \end{aligned} \tag{49}$$

By multiplying both sides of the inequality (49) by  $\frac{1}{\kappa} e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)}$ , which is positive, and then integrating with respect to  $\mu$  from 0 to  $\xi$ , we get





$$\begin{aligned}
 & \int_0^\xi \frac{1-\kappa}{\kappa} (\xi-\mu) \phi(\mu) \varphi(\mu) \chi(\mu) d\mu + \chi(\theta) \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\mu) \varphi(\mu) d\mu \\
 & + \varphi(\theta) \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\mu) \chi(\mu) d\mu + \varphi(\theta) \chi(\theta) \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\mu) d\mu \\
 & \geq \phi(\theta) \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \varphi(\mu) \chi(\mu) d\mu + \chi(\theta) \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \phi(\mu) \varphi(\mu) d\mu \\
 & + \phi(\theta) \varphi(\theta) \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} \chi(\mu) d\mu + \phi(\theta) \varphi(\theta) \chi(\theta) \frac{1}{\kappa} \int_0^\xi e^{-\frac{1-\kappa}{\kappa}(\xi-\mu)} d\mu,
 \end{aligned} \tag{50}$$

which implies that

$$\begin{aligned}
 & \mathcal{J}_{0,\xi}^\kappa[\phi\varphi\chi(\xi)] + \chi(\theta) \mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] + \varphi(\theta) \mathcal{J}_{0,\xi}^\kappa[\phi\chi(\xi)] + \varphi(\theta) \chi(\theta) \mathcal{J}_{0,\xi}^\kappa[\phi(\xi)] \\
 & \geq \chi(\theta) \mathcal{J}_{0,\xi}^\kappa[\varphi\chi(\xi)] + \chi(\theta) \mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] + \phi(\theta) \varphi(\theta) \mathcal{J}_{0,\xi}^\kappa[\chi(\xi)] \\
 & + \phi(\theta) \varphi(\theta) \chi(\theta) \frac{1}{1-\kappa} 1 - e^{-\frac{1-\kappa}{\kappa}\xi}.
 \end{aligned} \tag{51}$$

With the same argument as in inequality (45), we obtain

$$\begin{aligned}
 & \frac{1}{1-\kappa} 1 - e^{-\frac{1-\kappa}{\kappa}\xi} \mathcal{J}_{0,\xi}^\kappa[\phi\varphi\chi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\chi(\xi)] \\
 & + \mathcal{J}_{0,\xi}^\kappa[\phi\chi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\varphi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[\phi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\varphi\chi(\xi)] \\
 & \geq \mathcal{J}_{0,\xi}^\kappa[\varphi\chi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\phi(\xi)] + \mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\chi(\xi)] \\
 & + \mathcal{J}_{0,\xi}^\kappa[\chi(\xi)] \mathcal{J}_{0,\xi}^\kappa[\phi\varphi(\xi)] + \frac{1}{1-\kappa} 1 - e^{-\frac{1-\kappa}{\kappa}\xi} \mathcal{J}_{0,\xi}^\kappa[\phi\varphi\chi(\xi)].
 \end{aligned} \tag{52}$$


This completes the proof of inequality (48). □




## 5. Concluding Remarks

In this paper, we studied the novel fractional integral inequalities for the Chebyshev and extended the Chebyshev functionals by considering the Caputo–Fabrizio fractional integral operator. In addition, we studied some inequalities for three positive functions using the same operator. The inequalities investigated in this paper make some contribution to the fields of fractional calculus and Caputo–Fabrizio fractional integral operators. In the future, we hope that inequalities presented in this paper can prove the existence and uniqueness of some ordinary differential equations, as well as initial and boundary value problems involving Caputo–Fabrizio fractional operators.

## Author Contributions

Using web-font Gyre-Pagella/DoubleStruck/Regular

 M.C., A.B.N., S.K.P. and C.C. equally contribute to the manuscript. All authors have read and agreed to the published version of the manuscript.

 (/toggle\_desktop\_layout\_cookie)  

## Funding

This research received no external funding.

## Institutional Review Board Statement

Not applicable.

## Informed Consent Statement

Not applicable.

## Data Availability Statement

Not applicable.

## Acknowledgments

We thank the anonymous referees who made numerous suggestions for improvement.

## Conflicts of Interest

The authors declare no conflict of interest.

## References

1. Anastassiou, G.A. *Fractional Differentiation Inequalities*; Springer Publishing Company: New York, NY, USA, 2009. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Fractional+Differentiation+Inequalities&author=Anastassiou,+G.A.&publication\\_year=2009](https://scholar.google.com/scholar_lookup?title=Fractional+Differentiation+Inequalities&author=Anastassiou,+G.A.&publication_year=2009))]
2. Baleanu, D.; Machado, J.A.T.; Luo, C.J. *Fractional Dynamic and Control*; Springer: Berlin/Heidelberg, Germany, 2012; pp. 159–171. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Fractional+Dynamic+and+Control&author=Baleanu,+D.&author=Machado,+J.A.T.&author=Luo,+C.J.&publication\\_year=2012](https://scholar.google.com/scholar_lookup?title=Fractional+Dynamic+and+Control&author=Baleanu,+D.&author=Machado,+J.A.T.&author=Luo,+C.J.&publication_year=2012))]







- Kilbas, A.A.; Srivastava, H.M.; Trujillo, J.J. *Theory and Application of Fractional Differential Equations*; Elsevier: Amsterdam, The Netherlands, 2006. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Theory+and+Application+of+Fractional+Differential+Equations&author=Kilbas,+A.A.&author=Srivastava,+H.M.&author=Trujillo,+J.J.&publication\\_year=2006](https://scholar.google.com/scholar_lookup?title=Theory+and+Application+of+Fractional+Differential+Equations&author=Kilbas,+A.A.&author=Srivastava,+H.M.&author=Trujillo,+J.J.&publication_year=2006))]
4. Miller, K.S.; Ross, B. *An Introduction to the Fractional Calculus and Fractional Differential Equations*; Wiley: New York, NY, USA, 1993. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=An+Introduction+to+the+Fractional+Calculus+and+Fractional+Differential+Equations&author=Miller,+K.S.&author=Ross,+B.&publication\\_year=1993](https://scholar.google.com/scholar_lookup?title=An+Introduction+to+the+Fractional+Calculus+and+Fractional+Differential+Equations&author=Miller,+K.S.&author=Ross,+B.&publication_year=1993))]
5. Podlubny, I. *Fractional Differential Equations*; Academic Press: New York, NY, USA, 1999. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Fractional+Differential+Equations&author=Podlubny,+I.&publication\\_year=1999](https://scholar.google.com/scholar_lookup?title=Fractional+Differential+Equations&author=Podlubny,+I.&publication_year=1999))]
6. Somko, S.G.; Kilbas, A.A.; Marichev, O.I. *Fractional Integral and Derivative Theory and Application*; Gordon and Breach: Montreux, Switzerland; Philadelphia, PA, USA, 1993. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Fractional+Integral+and+Derivative+Theory+and+Application&author=Somko,+S.G.&author=Kilbas,+A.A.&author=Marichev,+O.I.&publication\\_year=1993](https://scholar.google.com/scholar_lookup?title=Fractional+Integral+and+Derivative+Theory+and+Application&author=Somko,+S.G.&author=Kilbas,+A.A.&author=Marichev,+O.I.&publication_year=1993))]
7. Chebyshev, P.L. Sur les expressions approximatives des integrales definies par les autres prise entre les memes limites. *Proc. Math. Soc. Charkov* **1882**, 2, 93–98. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Sur+les+expressions+approximatives+des+integrales+definies+par+les+autres+prise+entre+les+memes+limites&author=Chebyshev,+P.L.&publication\\_year=1882&journal=Proc.+Math.+Soc.+Charkov&volume=2&pages=93%E2%80%999398](https://scholar.google.com/scholar_lookup?title=Sur+les+expressions+approximatives+des+integrales+definies+par+les+autres+prise+entre+les+memes+limites&author=Chebyshev,+P.L.&publication_year=1882&journal=Proc.+Math.+Soc.+Charkov&volume=2&pages=93%E2%80%999398))]
8. Dargomir, S.S.; Pearce, C.E. *Selected Topics in Hermit–Hadamard Inequality*; Victoria University: Melbourne, Australia, 2000; Available online: <http://rgmia.vu.edu.au/amonographs/hermite-hadmard.html> (<http://rgmia.vu.edu.au/amonographs/hermite-hadmard.html>) (accessed on 9 September 2021).
9. Dahmani, Z. New inequalities in fractional integrals. *Int. J. Nonlinear Sci.* **2010**, 4, 493–497. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=New+inequalities+in+fractional+integrals&author=Dahmani,+Z.&publication\\_year=2010&journal=Int.+J.+Nonlinear+Sci.&volume=4&pages=493%E2%80%99497](https://scholar.google.com/scholar_lookup?title=New+inequalities+in+fractional+integrals&author=Dahmani,+Z.&publication_year=2010&journal=Int.+J.+Nonlinear+Sci.&volume=4&pages=493%E2%80%99497))]





10. Belarbi, S.; Dahmani, Z. On some new fractional integral inequality. *J. Inequal. Pure Appl. Math.* **2009**, *10*, 86. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=On+some+new+fractional+integral+inequality&author=Belarbi,+S.&author=Dahmani,+Z.&publication\\_year=2009&journal=J.+Inequal.+Pure+Appl.+Math.&volume=10&pages=86](https://scholar.google.com/scholar_lookup?title=On+some+new+fractional+integral+inequality&author=Belarbi,+S.&author=Dahmani,+Z.&publication_year=2009&journal=J.+Inequal.+Pure+Appl.+Math.&volume=10&pages=86))]
11. Marinkoric, S.; Rajkovic, P.; Stankovic, M. The inequalities for some q-integrals. *Comput. Math. Appl.* **2008**, *56*, 2490–2498. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=The+inequalities+for+some+q-integrals&author=Marinkoric,+S.&author=Rajkovic,+P.&author=Stankovic,+M.&publication\\_year=2008&journal=Comput.+Math.+Appl.&volume=56&pages=2490%E2%80%932498&doi=10.1016/j.camwa.2008.05.035](https://scholar.google.com/scholar_lookup?title=The+inequalities+for+some+q-integrals&author=Marinkoric,+S.&author=Rajkovic,+P.&author=Stankovic,+M.&publication_year=2008&journal=Comput.+Math.+Appl.&volume=56&pages=2490%E2%80%932498&doi=10.1016/j.camwa.2008.05.035))] [CrossRef (<https://doi.org/10.1016/j.camwa.2008.05.035>)] [Green Version ()]
12. Pachpatte, B.G. A note on Chebyshev-Grüss type inequalities for differential function. *Tamsui. Oxf. J. Math. Sci.* **2006**, *22*, 29–36. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=A+note+on+Chebyshev-Gr%C3%BCss+type+inequalities+for+differential+function&author=Pachpatte,+B.G.&publication\\_year=2006&journal=Tamsui.+Oxf.+J.+Math.+Sci.&volume=22&pages=29%E2%80%9336](https://scholar.google.com/scholar_lookup?title=A+note+on+Chebyshev-Gr%C3%BCss+type+inequalities+for+differential+function&author=Pachpatte,+B.G.&publication_year=2006&journal=Tamsui.+Oxf.+J.+Math.+Sci.&volume=22&pages=29%E2%80%9336))]
13. Anastassiou, G.A.; Hooshmandasl, M.R.; Ghasemi, A.; Moftakharzadeh, F. Montgomery identities for fractional integrals and related fractional inequalities. *J. Inequal. Pure Appl. Math.* **2009**, *10*, 97. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Montgomery+identities+for+fractional+integrals+and+related+fractional+inequalities&author=Anastassiou,+G.A.&author=Hooshmandasl,+M.R.&author=Ghasemi,+A.&author=Moftakharzadeh,+F.&publication\\_year=2009&journal=J.+Inequal.+Pure+Appl.+Math.&volume=10&pages=97](https://scholar.google.com/scholar_lookup?title=Montgomery+identities+for+fractional+integrals+and+related+fractional+inequalities&author=Anastassiou,+G.A.&author=Hooshmandasl,+M.R.&author=Ghasemi,+A.&author=Moftakharzadeh,+F.&publication_year=2009&journal=J.+Inequal.+Pure+Appl.+Math.&volume=10&pages=97))]
14. Chinchane, V.L.; Pachpatte, D.B. A note on some integral inequalities via Hadamard integral. *J. Fract. Calc. Appl.* **2013**, *4*, 1–5. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=A+note+on+some+integral+inequalities+via+Hadamard+integral&author=Chinchane,+V.L.&author=Pachpatte,+D.B.&publication\\_year=2013&journal=J.+Fract.+Calc.+Appl.&volume=4&pages=1%E2%80%935](https://scholar.google.com/scholar_lookup?title=A+note+on+some+integral+inequalities+via+Hadamard+integral&author=Chinchane,+V.L.&author=Pachpatte,+D.B.&publication_year=2013&journal=J.+Fract.+Calc.+Appl.&volume=4&pages=1%E2%80%935))]





- Chinchane, V.L.; Pachpatte, D.B. A note on fractional integral inequalities involving convex functions using Saigo fractional integral. *Indian J. Math.* **2019**, *61*, 27–39. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=A+note+on+fractional+integral+inequalities+involving+convex+functions+using+Saigo+fractional+integral&author=Chinchane,+V.L.&author=Pachpatte,+D.B.&publication\\_year=2019&journal=Indian+J.+Math.&volume=61&pages=27%E2%80%9339](https://scholar.google.com/scholar_lookup?title=A+note+on+fractional+integral+inequalities+involving+convex+functions+using+Saigo+fractional+integral&author=Chinchane,+V.L.&author=Pachpatte,+D.B.&publication_year=2019&journal=Indian+J.+Math.&volume=61&pages=27%E2%80%9339))]
16. Chinchane, V.L.; Pachpatte, D.B. On some integral inequalities using Hadamard fractional integral. *Malaya J. Math.* **2012**, *1*, 62–66. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=On+some+integral+inequalities+using+Hadamard+fractional+integral&author=Chinchane,+V.L.&author=Pachpatte,+D.B.&publication\\_year=2012&journal=Malaya+J.+Math.&volume=1&pages=62%E2%80%9366](https://scholar.google.com/scholar_lookup?title=On+some+integral+inequalities+using+Hadamard+fractional+integral&author=Chinchane,+V.L.&author=Pachpatte,+D.B.&publication_year=2012&journal=Malaya+J.+Math.&volume=1&pages=62%E2%80%9366))]
17. Chinchane, V.L. On Chebyshev type inequalities using generalized K-fractional integral operator. *Progr. Fract. Differ. Appl.* **2017**, *3*, 1–8. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=On+Chebyshev+type+inequalities+using+generalized+K-fractional+integral+operator&author=Chinchane,+V.L.&publication\\_year=2017&journal=Progr.+Fract.+Differ.+Appl.&volume=3&pages=1%E2%80%938&doi=10.18576/pfda/030305](https://scholar.google.com/scholar_lookup?title=On+Chebyshev+type+inequalities+using+generalized+K-fractional+integral+operator&author=Chinchane,+V.L.&publication_year=2017&journal=Progr.+Fract.+Differ.+Appl.&volume=3&pages=1%E2%80%938&doi=10.18576/pfda/030305))] [CrossRef (<https://doi.org/10.18576/pfda/030305>)] [Green Version (<http://arxiv.org/pdf/1607.04727>)]
18. Dahmani, Z. Some results associate with fractional integrals involving the extended Chebyshev. *Acta Univ. Apulensis Math. Inform.* **2011**, *27*, 217–224. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Some+results+associate+with+fractional+integrals+involving+the+extended+Chebyshev&author=Dahmani,+Z.&publication\\_year=2011&journal=Acta+Univ.+Apulensis+Math.+Inform.&volume=27&pages=217%E2%80%93224](https://scholar.google.com/scholar_lookup?title=Some+results+associate+with+fractional+integrals+involving+the+extended+Chebyshev&author=Dahmani,+Z.&publication_year=2011&journal=Acta+Univ.+Apulensis+Math.+Inform.&volume=27&pages=217%E2%80%93224))]
19. Katugampola, U.N. A new approach to generalized fractional derivatives. *Bull. Math. Anal. Appl.* **2014**, *6*, 1–15. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=A+new+approch+to+generalized+fractional+derivatives&author=Katugampola,+U.N.&publication\\_year=2014&journal=Bull.+Math.+Anal.+Appl.&volume=6&pages=1%E2%80%9315](https://scholar.google.com/scholar_lookup?title=A+new+approch+to+generalized+fractional+derivatives&author=Katugampola,+U.N.&publication_year=2014&journal=Bull.+Math.+Anal.+Appl.&volume=6&pages=1%E2%80%9315))]





Kiryakova, V. On two Saigo's fractional integral operator in the class of univalent functions. *Fract. Calc. Appl. Anal.* **2006**, *9*, 159–176. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=On+two+Saigo%E2%80%99s+fractional+integral+operator+in+the+class+of+univalent+functions&author=Kiryakova,+V.&publication\\_year=2006&journal=Fract.+Calc.+Appl.+Anal.&volume=9&pages=159%E2%80%93176](https://scholar.google.com/scholar_lookup?title=On+two+Saigo%E2%80%99s+fractional+integral+operator+in+the+class+of+univalent+functions&author=Kiryakova,+V.&publication_year=2006&journal=Fract.+Calc.+Appl.+Anal.&volume=9&pages=159%E2%80%93176))]


21. Nale, A.B.; Panchal, S.K.; Chinchane, V.L. Certain fractional integral inequalities using generalized Katugampola fractional integral operator. *Malaya J. Math.* **2020**, *3*, 791–797. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Certain+fractional+integral+inequalities+using+generalized+Katugampola+fractional+integral+operator&author=Nale,+A.B.&author=Panchal,+S.K.&author=Chinchane,+V.L.&publication\\_year=2020&journal=Malaya+J.+Math.&volume=3&pages=791%E2%80%93797](https://scholar.google.com/scholar_lookup?title=Certain+fractional+integral+inequalities+using+generalized+Katugampola+fractional+integral+operator&author=Nale,+A.B.&author=Panchal,+S.K.&author=Chinchane,+V.L.&publication_year=2020&journal=Malaya+J.+Math.&volume=3&pages=791%E2%80%93797))]
22. Nale, A.B.; Panchal, S.K.; Chinchane, V.L.; Al-Bayatti, H.M.Y. Fractional integral inequalities using Marichev-Saigo-Maeda fractional integral operator. *Progr. Fract. Differ. Appl.* **2021**, *7*, 249–255. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Fractional+integral+inequalities+using+Marichev-Saigo-Maeda+fractional+integral+operator&author=Nale,+A.B.&author=Panchal,+S.K.&author=Chinchane,+V.L.&author=Al-Bayatti,+H.M.Y.&publication\\_year=2021&journal=Progr.+Fract.+Differ.+Appl.&volume=7&pages=249%E2%80%93255&doi=10.18576/pfda/070403](https://scholar.google.com/scholar_lookup?title=Fractional+integral+inequalities+using+Marichev-Saigo-Maeda+fractional+integral+operator&author=Nale,+A.B.&author=Panchal,+S.K.&author=Chinchane,+V.L.&author=Al-Bayatti,+H.M.Y.&publication_year=2021&journal=Progr.+Fract.+Differ.+Appl.&volume=7&pages=249%E2%80%93255&doi=10.18576/pfda/070403))] [CrossRef (<https://doi.org/10.18576/pfda/070403>)]
23. Caputo, M.; Fabrizio, M. A new Defination of Fractional Derivative without singular kernel. *Progr. Fract. Differ. Appl.* **2015**, *1*, 73–85. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=A+new+Defination+of+Fractional+Derivative+without+singular+kernel&author=Caputo,+M.&author=Fabrizio,+M.&publication\\_year=2015&journal=Progr.+Fract.+Differ.+Appl.&volume=1&pages=73%E2%80%9385](https://scholar.google.com/scholar_lookup?title=A+new+Defination+of+Fractional+Derivative+without+singular+kernel&author=Caputo,+M.&author=Fabrizio,+M.&publication_year=2015&journal=Progr.+Fract.+Differ.+Appl.&volume=1&pages=73%E2%80%9385))]





- Caputo, M.; Fabrizio, M. Applications of new time and Spatial fractional derivative with exponential kernels. *Progr. Fract. Differ. Appl.* **2016**, *2*, 7–8. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Applications+of+new+time+and+Spatial+fractional+derivative+with+exponential+kernels&author=Caputo,+M.&author=Fabrizio,+M.&publication\\_year=2016&journal=Progr.+Fract.+Differ.+Appl.&volume=2&pages=7%E2%80%938&doi=10.18576/pfda/020101](https://scholar.google.com/scholar_lookup?title=Applications+of+new+time+and+Spatial+fractional+derivative+with+exponential+kernels&author=Caputo,+M.&author=Fabrizio,+M.&publication_year=2016&journal=Progr.+Fract.+Differ.+Appl.&volume=2&pages=7%E2%80%938&doi=10.18576/pfda/020101))] [CrossRef (<https://doi.org/10.18576/pfda/020101>)]
25. Abdeljawad, T.; Baleanu, D. On fractional derivatives with exponential kernel and their discrete versions. *Rep. Math. Phys.* **2017**, *1*, 11–27. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=On+fractional+derivatives+with+exponential+kernel+and+their+discrete+versions&author=Abdeljawad,+T.&author=Baleanu,+D.&publication\\_year=2017&journal=Rep.+Math.+Phys.&volume=1&pages=11%E2%80%9327&doi=10.1016/S0034-4877\(17\)30059-9](https://scholar.google.com/scholar_lookup?title=On+fractional+derivatives+with+exponential+kernel+and+their+discrete+versions&author=Abdeljawad,+T.&author=Baleanu,+D.&publication_year=2017&journal=Rep.+Math.+Phys.&volume=1&pages=11%E2%80%9327&doi=10.1016/S0034-4877(17)30059-9))] [CrossRef ([https://doi.org/10.1016/S0034-4877\(17\)30059-9](https://doi.org/10.1016/S0034-4877(17)30059-9))] [Green Version (<http://arxiv.org/pdf/1606.07958>)]
26. Abdeljawad, T. Fractional operators with exponential kernels and a Lyapunov type inequality. *Adv. Differ.* **2017**, *2017*, 1–11. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Fractional+operators+with+exponential+kernels+and+a+Lyapunov+type+inequality&author=Abdeljawad,+T.&publication\\_year=2017&journal=Adv.+Differ.&volume=2017&pages=1%E2%80%9311&doi=10.1186/s13662-017-1285-0](https://scholar.google.com/scholar_lookup?title=Fractional+operators+with+exponential+kernels+and+a+Lyapunov+type+inequality&author=Abdeljawad,+T.&publication_year=2017&journal=Adv.+Differ.&volume=2017&pages=1%E2%80%9311&doi=10.1186/s13662-017-1285-0))] [CrossRef (<https://doi.org/10.1186/s13662-017-1285-0>)] [Green Version (<https://advancesindifferenceequations.springeropen.com/track/pdf/10.1186/s13662-017-1285-0>)]
27. Al-Refai, M.; Jarrah, A.M. Fundamental results on weighted Caputo-Fabrizio fractional derivative. *Chaos Solitons Fractals* **2019**, *126*, 7–11. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Fundamental+results+on+weighted+Caputo-Fabrizio+fractional+derivative&author=Al-Refai,+M.&author=Jarrah,+A.M.&publication\\_year=2019&journal=Chaos+Solitons+Fractals&volume=126&pages=7%E2%80%9311&doi=10.1016/j.chaos.2019.05.035](https://scholar.google.com/scholar_lookup?title=Fundamental+results+on+weighted+Caputo-Fabrizio+fractional+derivative&author=Al-Refai,+M.&author=Jarrah,+A.M.&publication_year=2019&journal=Chaos+Solitons+Fractals&volume=126&pages=7%E2%80%9311&doi=10.1016/j.chaos.2019.05.035))] [CrossRef (<https://doi.org/10.1016/j.chaos.2019.05.035>)]




 Dokuyucu, M.A. A fractional order alcoholism model via Caputo–Fabrizio derivative. *Aims Math.* **2020**, *5*, 781–797. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=A+fractional+order+alcoholism+model+via+Caputo%E2%80%93Fabrizio+derivative&author=Dokuyucu,+M.A.&publication\\_year=2020&journal=Aims+Math.&volume=5&pages=781%E2%80%93797&doi=10.3934/math.2020053](https://scholar.google.com/scholar_lookup?title=A+fractional+order+alcoholism+model+via+Caputo%E2%80%93Fabrizio+derivative&author=Dokuyucu,+M.A.&publication_year=2020&journal=Aims+Math.&volume=5&pages=781%E2%80%93797&doi=10.3934/math.2020053))] [CrossRef (<https://doi.org/10.3934/math.2020053>)]

29. Alshabanat, A.; Jleli, M.; Kumar, S.; Samet, B. Generalization of Caputo–Fabrizio Fractional Derivative and Applications to Electrical Circuits. *Front. Phys.* **2020**, *8*, 7–11. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Generalization+of+Caputo%E2%80%93Fabrizio+Fractional+Derivative+and+Applications+to+Electrical+Circuits&author=Alshabanat,+A.&author=Jleli,+M.&author=Kumar,+S.&author=Samet,+B.&publication\\_year=2020&journal=Front.+Phys.&volume=8&pages=7%E2%80%9311&doi=10.3389/fphy.2020.00064](https://scholar.google.com/scholar_lookup?title=Generalization+of+Caputo%E2%80%93Fabrizio+Fractional+Derivative+and+Applications+to+Electrical+Circuits&author=Alshabanat,+A.&author=Jleli,+M.&author=Kumar,+S.&author=Samet,+B.&publication_year=2020&journal=Front.+Phys.&volume=8&pages=7%E2%80%9311&doi=10.3389/fphy.2020.00064))] [CrossRef (<https://doi.org/10.3389/fphy.2020.00064>)]

30. Atanacković, T.M.; Janev, M.; Pilipović, S. Wave equation in fractional Zener-type viscoelastic media involving Caputo–Fabrizio fractional derivatives. *Meccanica* **2019**, *54*, 155–167. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Wave+equation+in+fractional+Zener-type+viscoelastic+media+involving+Caputo%E2%80%93Fabrizio+fractional+derivatives&author=Atanackovi%C4%87,+T.M.&author=Janev,+M.&author=Pilipovi%C4%87,+S.&publication\\_year=2019&journal=Meccanica&volume=54&pages=155%E2%80%93167&doi=10.1007/s11012-018-0920-5](https://scholar.google.com/scholar_lookup?title=Wave+equation+in+fractional+Zener-type+viscoelastic+media+involving+Caputo%E2%80%93Fabrizio+fractional+derivatives&author=Atanackovi%C4%87,+T.M.&author=Janev,+M.&author=Pilipovi%C4%87,+S.&publication_year=2019&journal=Meccanica&volume=54&pages=155%E2%80%93167&doi=10.1007/s11012-018-0920-5))] [CrossRef (<https://doi.org/10.1007/s11012-018-0920-5>)]

31. Fadugba, S.E. Development of a new numerical scheme for the solution of exponential growth and decay models. *Open J. Math. Sci.* **2021**, *4*, 18–26. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Development+of+a+new+numerical+scheme+for+the+solution+of+exponential+growth+and+decay+models&author=Fadugba,+S.E.&publication\\_year=2021&journal=Open+J.+Math.+Sci.&volume=4&pages=18%E2%80%9326&doi=10.30538/oms2021.0141](https://scholar.google.com/scholar_lookup?title=Development+of+a+new+numerical+scheme+for+the+solution+of+exponential+growth+and+decay+models&author=Fadugba,+S.E.&publication_year=2021&journal=Open+J.+Math.+Sci.&volume=4&pages=18%E2%80%9326&doi=10.30538/oms2021.0141))] [CrossRef (<https://doi.org/10.30538/oms2021.0141>)]



 Hristov, J.; Bennacer, R. *Heat Conduction: Methods, Applications and Research*; Nova Science Publishers: Hauppauge, NY, USA, 2019. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=Heat+Conduction:+Methods+Applications+and+Research&author=Hristov,+J.&author=Bennacer,+R.&publication\\_year=2019](https://scholar.google.com/scholar_lookup?title=Heat+Conduction:+Methods+Applications+and+Research&author=Hristov,+J.&author=Bennacer,+R.&publication_year=2019))]

33. Tariq, M.; Ahmad, H.; Sahoo, S.K. The Hermite-Hadamard Type Inequality and its Estimations via Generalized Convex Functions of Raina Type. *Math. Model. Numer. Simul. Appl. (MMNSA)* **2021**, *1*, 32–43. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=The+Hermite-Hadamard+Type+Inequality+and+its+Estimations+via+Generalized+Convex+Functions+of+Raina+Type&author=Tariq,+M.&author=Ahmad,+H.&author=Sahoo,+S.K.&publication\\_year=2021&journal=Math.+Model.+Numer.+Simul.+Appl.+\(MMNSA\)&volume=1&pages=32%E2%80%9343](https://scholar.google.com/scholar_lookup?title=The+Hermite-Hadamard+Type+Inequality+and+its+Estimations+via+Generalized+Convex+Functions+of+Raina+Type&author=Tariq,+M.&author=Ahmad,+H.&author=Sahoo,+S.K.&publication_year=2021&journal=Math.+Model.+Numer.+Simul.+Appl.+(MMNSA)&volume=1&pages=32%E2%80%9343))]
34. Nchama, G.A.M.; Mecias, A.L.; Richard, M.R. The Caputo–Fabrizio fractional integral to generate some new inequalities. *Inf. Sci. Lett.* **2019**, *2*, 73–80. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=The+Caputo%E2%80%93Fabrizio+fractional+integral+to+generate+some+new+inequalities&author=Nchama,+G.A.M.&author=Mecias,+A.L.&author=Richard,+M.R.&publication\\_year=2019&journal=Inf.+Sci.+Lett.&volume=2&pages=73%E2%80%9380](https://scholar.google.com/scholar_lookup?title=The+Caputo%E2%80%93Fabrizio+fractional+integral+to+generate+some+new+inequalities&author=Nchama,+G.A.M.&author=Mecias,+A.L.&author=Richard,+M.R.&publication_year=2019&journal=Inf.+Sci.+Lett.&volume=2&pages=73%E2%80%9380))]
35. Wang, X.; Saleem, M.S.; Aslam, K.N.; Wu, X.; Zhou, T. On Caputo–Fabrizio fractional integral inequalities of Hermite-Hadamard type for modified  $\eta$ -convex functions. *J. Math.* **2020**, *2020*, 8829140. [Google Scholar ([https://scholar.google.com/scholar\\_lookup?title=On+Caputo%E2%80%93Fabrizio+fractional+integral+inequalities+of+Hermite-Hadamard+type+for+modified+-convex+functions&author=Wang,+X.&author=Saleem,+M.S.&author=Aslam,+K.N.&author=Wu,+X.&author=Zhou,+T.&publication\\_year=2020&journal=J.+Math.+&volume=2020&pages=8829140&doi=10.1155/2020/8829140](https://scholar.google.com/scholar_lookup?title=On+Caputo%E2%80%93Fabrizio+fractional+integral+inequalities+of+Hermite-Hadamard+type+for+modified+-convex+functions&author=Wang,+X.&author=Saleem,+M.S.&author=Aslam,+K.N.&author=Wu,+X.&author=Zhou,+T.&publication_year=2020&journal=J.+Math.+&volume=2020&pages=8829140&doi=10.1155/2020/8829140))] [CrossRef (<https://doi.org/10.1155/2020/8829140>)]

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.

© 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>) (<https://creativecommons.org/licenses/by/4.0/>)



Share and Cite

(/toggle\_desktop\_layout\_cookie)

(mailto:?)

**&subject=From%20MDPI%3A%20%22On%20Some%20Fractional%20Integral%20Inequalities%20Involving%20Caputo%E2%80%93Fabrizio%20Integral%20Operator"&body=https://www.mdpi.com/1311886%3A%0A%0AOn%20Some%20Fractional%20Integral%20Inequalities%20Involving%20Caputo%E2%80%93Fabrizio%20Integral%20Operator%0A%0AAbstract%3A%20In%20this%20paper%2C%20we%20deal%20with%20the%20Caputo%E2%80%93Fabrizio%20fractional%20integral%20operator%20with%20a%20nonsingular%20kernel%20and%20establish%20some%20new%20integral%20inequalities%20for%20the%20Chebyshev%20functional%20in%20the%20case%20of%20synchronous%20function%20by%20employing%20the%20fractional%20integral.**

**%20Moreover%2C%20several%20fractional%20integral%20inequalities%20for%20extended%20Chebyshev%20functional%20by%20considering%20the%20Caputo%E2%80%93Fabrizio%20fractional%20integral%20operator%20are%20discussed.**

**%20In%20addition%2C%20we%20obtain%20fractional%20integral%20inequalities%20for%20three%20positive%20functions%20involving%20the%20same%20operator.)**

([https://twitter.com/intent/tweet?](https://twitter.com/intent/tweet?text=On+Some+Fractional+Integral+Inequalities+Involving+Caputo%E2%80%93Fabrizio+Integral+Operator&hashtags=mdpiaxioms&url=https%3A%2F%2Fwww.mdpi.com%2F1311886&via=Axioms_MDPI)

[text=On+Some+Fractional+Integral+Inequalities+Involving+Caputo%E2%80%93Fabrizio+Integral+Operator&hashtags=mdpiaxioms&url=https%3A%2F%2Fwww.mdpi.com%2F1311886&via=Axioms\\_MDPI](https://twitter.com/intent/tweet?text=On+Some+Fractional+Integral+Inequalities+Involving+Caputo%E2%80%93Fabrizio+Integral+Operator&hashtags=mdpiaxioms&url=https%3A%2F%2Fwww.mdpi.com%2F1311886&via=Axioms_MDPI))



( [http://www.linkedin.com/shareArticle?](http://www.linkedin.com/shareArticle?mini=true&url=https%3A%2F%2Fwww.mdpi.com%2F1311886&title=On%20Some%20Fractional%20Integral%20Inequalities%20Involving%20Caputo%E2%80%93Fabrizio%20Integral%20Operator%26source%3Dhttps%3A%2F%2Fwww.mdpi.com%26summary%3DIn%20this%20paper%2C%20we%20deal%20with%20the%20Caputo%E2%80%93Fabrizio%20fractional%20integral%20operator%20with%20a%20nonsingular%20kernel%20and%20establish%20some%20new%20integral%20inequalities%20for%20the%20Chebyshev%20functional%20in%20the%20case%20of%20synchronous%20function%20by%20employing%20the%20fractional%20%5B...%5D)

[mini=true&url=https%3A%2F%2Fwww.mdpi.com%2F1311886&title=On%20Some%20Fractional%20Integral%20Inequalities%20Involving%20Caputo%E2%80%93Fabrizio%20Integral%20Operator%26source%3Dhttps%3A%2F%2Fwww.mdpi.com%26summary%3DIn%20this%20paper%2C%20we%20deal%20with%20the%20Caputo%E2%80%93Fabrizio%20fractional%20integral%20operator%20with%20a%20nonsingular%20kernel%20and%20establish%20some%20new%20integral%20inequalities%20for%20the%20Chebyshev%20functional%20in%20the%20case%20of%20synchronous%20function%20by%20employing%20the%20fractional%20%5B...%5D](http://www.linkedin.com/shareArticle?mini=true&url=https%3A%2F%2Fwww.mdpi.com%2F1311886&title=On%20Some%20Fractional%20Integral%20Inequalities%20Involving%20Caputo%E2%80%93Fabrizio%20Integral%20Operator%26source%3Dhttps%3A%2F%2Fwww.mdpi.com%26summary%3DIn%20this%20paper%2C%20we%20deal%20with%20the%20Caputo%E2%80%93Fabrizio%20fractional%20integral%20operator%20with%20a%20nonsingular%20kernel%20and%20establish%20some%20new%20integral%20inequalities%20for%20the%20Chebyshev%20functional%20in%20the%20case%20of%20synchronous%20function%20by%20employing%20the%20fractional%20%5B...%5D))

(<https://www.facebook.com/sharer.php?u=https://www.mdpi.com/1311886>)



(<http://www.reddit.com/submit?url=https://www.mdpi.com/1311886>)




[www.mdpi.com/1311886](http://www.mendeley.com/import/?url=https://www.mdpi.com/1311886))

and ACS Style

Loading web-font Gyre-Pagella/DoubleStruck/Regular



Chinchane, V.L.; Nale, A.B.; Panchal, S.K.; Chesneau, C. On Some Fractional Integral Inequalities Involving Caputo–Fabrizio Integral Operator. *Axioms* **2021**, *10*, 255. <https://doi.org/10.3390/axioms10040255>

 (/toggle\_desktop\_layout\_cookie)  

### AMA Style

Chinchane VL, Nale AB, Panchal SK, Chesneau C. On Some Fractional Integral Inequalities Involving Caputo–Fabrizio Integral Operator. *Axioms*. 2021; 10(4):255. <https://doi.org/10.3390/axioms10040255>

### Chicago/Turabian Style

Chinchane, Vaijanath L., Asha B. Nale, Satish K. Panchal, and Christophe Chesneau. 2021. "On Some Fractional Integral Inequalities Involving Caputo–Fabrizio Integral Operator" *Axioms* 10, no. 4: 255. <https://doi.org/10.3390/axioms10040255>

ⓘ Note that from the first issue of 2016, this journal uses article numbers instead of page numbers. See further details [here \(https://www.mdpi.com/about/announcements/784\)](https://www.mdpi.com/about/announcements/784).

## Article Metrics

### Citations

**Crossref**

2

**Web of Science**

GWVersion=2&

**Scopus**

3 (<https://partnerID=HzO>

**Google Scholar**

title=On+Some

## Article Access Statistics



Loading web-font Gyre-Pagella/DoubleStruck/Regular



## Article access statistics



2000

(/toggle\_desktop\_layout\_cookie)

1500

1000

500

0

21. Mar 31. Mar 10. Apr 20. Apr 30. Apr 10. May 20. May 30. May 9. Jun

● Article Views

For more information on the journal statistics, click [here \(/journal/axioms/stats\)](/journal/axioms/stats).

ⓘ Multiple requests from the same IP address are counted as one view.

**[Axioms \(/journal/axioms\)](/journal/axioms)**, EISSN 2075-1680, Published by MDPI

**[RSS \(/rss/journal/axioms\)](/rss/journal/axioms)**   **[Content Alert \(/journal/axioms/toc-alert\)](/journal/axioms/toc-alert)**

## Further Information

**[Article Processing Charges \(/apc\)](/apc)**

**[Pay an Invoice \(/about/payment\)](/about/payment)**

**[Open Access Policy \(/openaccess\)](/openaccess)**

**[Contact MDPI \(/about/contact\)](/about/contact)**

**[Jobs at MDPI \(https://careers.mdpi.com\)](https://careers.mdpi.com)**

## Guidelines

**[For Authors \(/authors\)](/authors)**

**[For Reviewers \(/reviewers\)](/reviewers)**

**[For Editors \(/editors\)](/editors)**

**[For Librarians \(/librarians\)](/librarians)**

**[Publishers \(/publishing\\_services\)](/publishing_services)**

Encoding: web-font Gyle-Pagella/DoubleStruck/Regular



[For Societies \(/societies\)](#)

[MDPI \(/\)](#)

[For Conference Organizers \(/conference\\_organizers\)](#)

[MDPI Initiatives](#)

[Sciforum \(https://sciforum.net\)](https://sciforum.net)

[\(/toggle\\_desktop\\_layout\\_cookie\)](#)  

[MDPI Books \(https://www.mdpi.com/books\)](https://www.mdpi.com/books)

[Preprints.org \(https://www.preprints.org\)](https://www.preprints.org)

[Scilit \(https://www.scilit.net\)](https://www.scilit.net)

[SciProfiles \(https://sciprofiles.com?](https://sciprofiles.com?utm_source=mpdi.com&utm_medium=bottom_menu&utm_campaign=initiative)

[utm\\_source=mpdi.com&utm\\_medium=bottom\\_menu&utm\\_campaign=initiative\)](https://sciprofiles.com?utm_source=mpdi.com&utm_medium=bottom_menu&utm_campaign=initiative)

[Encyclopedia \(https://encyclopedia.pub\)](https://encyclopedia.pub)

[JAMS \(https://jams.pub\)](https://jams.pub)

[Proceedings Series \(/about/proceedings\)](#)


Follow MDPI

[LinkedIn \(https://www.linkedin.com/company/mdpi\)](https://www.linkedin.com/company/mdpi)

[Facebook \(https://www.facebook.com/MDPIOpenAccessPublishing\)](https://www.facebook.com/MDPIOpenAccessPublishing)

[Twitter \(https://twitter.com/MDPIOpenAccess\)](https://twitter.com/MDPIOpenAccess)

**Subscribe to receive issue release notifications and newsletters from MDPI journals**

Select options 

Enter your email address...

**Subscribe**

© 1996-2024 MDPI (Basel, Switzerland) unless otherwise stated

[Disclaimer](#) [Terms and Conditions \(/about/terms-and-conditions\)](#)

[Privacy Policy \(/about/privacy\)](#)



Loading web-font Gyre-Pagella/DoubleStruck/Regular